




SWITCH

The Swiss Education & Research Network

The AAI Attributes and the User Directories

Thomas Lenggenhager, SWITCH

23. März 2004



- **Authentication System**
 - any Apache compatible authentication method: LDAP, PAM, RADIUS, TACACS, end-user certificates, Web SSO (e.g. Pubcookie), ...
 - any Tomcat compatible authentication method: e.g. Web SSO (CAS)
- **Integration with User Directory via Java APIs**
 - LDAP via JNDI
 - Databases via JDBC

→ Login name is the link between the two parts

SSO = Single Sign On

- **AAI transfers user attributes from a Home Organization to a Resource**
 - **Requires a common understanding of what a value means**
 - ➔ **Authorization Attribute Specification v1.1**
http://www.switch.ch/aai/docs/AAI_Attr_Specs.pdf
- **A task force selected the attributes for SWITCHaai**
 - **minimal set to start with**
 - **attributes with pre-existing ‘common understanding’**
 - **in line with foreign activities**
- **Descriptions are LDIF like, but use of LDAP not required**

Authorization Attributes (2)

Personal attributes

- **Unique Identifier**
- **Surname**
- **Given name**

- **E-mail**
- **Address(es)**
- **Phone number(s)**
- **Preferred language**
- **Date of birth**
- **Gender**

Group membership

- **Name of Home Organization**
- **Type of Home Organization**
- **Affiliation (student, staff, faculty, ...)**

- **Study branch**
- **Study level**
- **Staff category**
- **Group membership**
- **Organization Path**
- **Organizational Unit Path**

- study branch, study level, staff category are based on SHIS/SIUS
- username and password are missing
⇒ only used locally!
- commonName is missing
no common understanding on how to use it